SYSTEM EDSTRÖM

— WE CREATE MOBILE WORKPLACES —



PROFESSIONAL
Van Racking

SAFETY

SWE
QUALITY

5
UP TO 5 YEARS WARRANTY



WE CREATE MOBILE WORKPLACES

For more information: **www.systemedstrom.co.uk**

System Edström Product News



Page	Article	Description
4	Shelf frames	New holes on one side of the frame which give us the opportunity to have model-specific brackets for easy and secure installations.
12	Flexi system	Corner protection for Flexi-shelves.
13	Dropfront system	The fronts now fit better in our system, with 110 and 220 heights. No protruding parts, over 30% lighter, now also in 392 mm width.
18	Systainer	We incorporate Systainers cases into our range, 3 sizes, proven cases that are popular with end users.
23	Cabinets	Better adapted for System Edström, new sizes, handles with locks, new drop front shelf fits perfectly, no protruding parts.
26	Tool clamp	A clamp for securely holding digging bars, crow bars and other shaft tools. Fits objects with a diameter of approx. 12-50 mm, capacity 5 kg per clamp.
26	Pegboard tray	A new sturdy tray to place digging bars and other objects in combination with new clamp.
27	Ladder holder	With suspension for easy attachment and foldable hooks to minimise height when not in use.
36	Support rail	A number of new, stronger support rails with Airline hole pattern.
37	Threaded insert nut	Larger contact surface for an even more secure installation.
DnD	Angle brackets	Bespoke brackets that simplify and improve installation without having to drill holes in the van. To view these articles please visit our online design tool, DnD.
DnD	Protective cladding	Wooden floor and protective cladding for most van models we work with. To view these articles please visit our online design tool, DnD.

SAFETY

UP TO 5 YEARS WARRANTY

QUALITY

ACCREDITED



300 mm - 2005 & 2007
470 mm - 2019 & 2021


Shelf frames

Depth	Width	Height	Kg	Part.No
300	31	505	1,2	2000
300	31	670	1,5	2002
300	31	890	1,9	2004
300	31	505/890	1,7	2005
300	31	1000	2,1	2006
300	31	670/1000	1,9	2007
300	31	1220	2,6	2008
300	31	1440	3,2	2010
470	31	505	1,4	2012
470	31	670	1,7	2014
470	31	825	2,0	2016
470	31	890	2,1	2018
470	31	505/890	1,9	2019
470	31	1000	2,3	2020
470	31	670/1000	2,1	2021
470	31	1220	2,9	2022
470	31	1440	3,5	2024



Shelf frames for false floor and extended drawers


Depth	Width	Height	Kg	Part.No
470	31	250	0,8	2075
470	31	470	1,5	2068
650	31	250	1,1	2078
650	31	470	1,8	2069



Shelf frame support leg

Min.	Max.	Height	Kg	Part.No
10	400	500	0,4	2090

Shelf frame support legs can be installed to allow for fitting at uneven parts of the van; over the wheel arch for example.



Shelf frame top

Depth	Width	Height	Kg	Part.No
300	28	70	0,3	2084
470	28	70	0,4	2085


If you need a shelf frame height we don't have, cut a shelf frame to appropriate height and use the shelf frame top.
NOTE! Be sure to rust-protect the cuts.



Shelf frame extensions

Depth	Width	Height	Depth top	Kg	Part.No
300	31	185	160	0,7	2050
300	31	230	160	0,8	2052
300	31	290	160	0,9	2054
300	31	400	160	1,1	2056
470	31	185	300	1,0	2058
470	31	230	300	1,1	2060
470	31	290	300	1,2	2062
470	31	400	300	1,4	2064


Shelf frame extensions are used for fitting additional shelving to the top of racking. Two different angles for different curvatures of the van.



Pegboards plain sheet


Depth	Thickness	Height	Kg	Part.No
300	0,7	505	0,8	2100
300	0,7	670	1,0	2102
300	0,7	890	1,4	2104
300	0,7	1000	1,5	2106
300	0,7	1220	1,9	2108
300	0,7	1440	2,2	2110
470	0,9	505	1,5	2120
470	0,9	670	2,0	2122
470	0,9	825	2,5	2123
470	0,9	890	2,7	2124
470	0,9	1000	3,0	2126
470	0,9	1220	3,7	2128
470	0,9	1440	4,4	2130

All of our pegboards are made with square holes, 10x10 mm and 37 mm $^{c}/_{c}$




Pegboards for shelf frame extensions


Depth	Thickness	Height	Fits	Kg	Part.No
300	0,7	185	2050	0,3	2190
300	0,7	230	2052	0,3	2191
300	0,7	290	2054	0,3	2192
300	0,7	400	2056	0,5	2193
470	0,9	185	2058	0,5	2195
470	0,9	230	2060	0,6	2196
470	0,9	290	2062	0,7	2197
470	0,9	400	2064	1,0	2198




Drawer system




Four widths



Two depths & three heights





Drawers

Depth	Width	Height	⇨	Kg	Part.No
300	302	110	105%	3,4	2331
300	302	220	105%	4,8	2332
300	392	110	105%	3,8	2341
300	392	220	105%	5,4	2342
300	392	165	105%	4,6	2343
300	605	110	105%	4,9	2361
300	605	220	105%	7,2	2362
300	784	110	105%	5,7	2371
300	784	220	105%	7,2	2372
470	302	110	105%	4,7	2431
470	302	220	105%	6,5	2432
470	392	110	105%	5,2	2441
470	392	220	105%	7,2	2442
470	392	165	105%	6,3	2443
470	605	110	105%	6,4	2461
470	605	220	105%	9,1	2462
470	784	110	105%	7,8	2471
470	784	220	105%	10,9	2472

Combine our drawers for a cabinet optimised to suit you and your business. A 3 mm thick foam (drawer foam insert) is included with each drawer.

Outer/Inner dimensions					
Depth		**Width**		**Height**	
> <	< >	> <	< >	> <	< >
300	271	302	255	110	83
470	442	392	345	165	138
		605	557	220	193
		784	736		

Payload 60 kg, uniformly distributed.



Top plates

Depth	Width	Height	Kg	Part.No
300	302	1	0,7	2533
300	392	1	0,9	2534
300	605	1	1,5	2536
470	302	1	1,1	2543
470	392	1	1,5	2544
470	605	1	2,3	2546

Support plinths

Depth	Width	Height	Kg	Part.No
300	302	55	0,7	2633
300	392	55	0,8	2634
300	605	55	1,1	2636
470	302	55	0,9	2643
470	392	55	1,0	2644
470	392	120	2,0	2645
470	605	55	1,1	2646

For 784 mm wide drawers use 2 pcs of 392 mm wide support plinths.




Drawer inserts

Depth	Width	Height	Kg	Part.No
300	127	70	0,2	3001
300	172	70	0,3	3003
470	127	70	0,4	3005
470	172	70	0,4	3007

Drawer inserts, complete with dividers.

Fitting guide

Drawer width	Inserts	Drawer width	Inserts
302 mm	127 mm, 2 pcs	605 mm	127 mm, 3 pcs + 172 mm, 1 pcs
392 mm	172 mm, 2 pcs	784 mm	127 mm, 3 pcs + 172 mm, 2 pcs




Drawer foam inserts

Fits in	Thickness	Part.No
2331 & 2332	3	5233
2341, 2342 & 2343	3	5234
2361 & 2362	3	5236
2371 & 2372	3	5237
2431 & 2432	3	5243
2441, 2442 & 2443	3	5244
2461 & 2462	3	5246
2471 & 2472	3	5247

To reduce noise, all our drawers come with foam inserts included. You can order these replacement foam inserts if required.





Extended drawers


Width	Depth	Height	⇨	Kg	Part.No
470	656	110	100%	7,0	3100
470	656	220	100%	9,0	3102
470	656	440	100%	11,0	3104
470	1056	110	90%	10,5	3106
470	1056	220	90%	13,0	3108
470	1056	440	90%	16,0	3110
470	1238	110	90%	12,5	3112
470	1238	220	90%	15,0	3114
470	1238	440	90%	18,0	3116
470	1420	220	80%	16,5	3120
470	1420	440	80%	20,0	3122
470	1630	220	75%	19,0	3126
470	1630	440	75%	22,5	3128
650	656	220	100%	10,5	3132
650	656	440	100%	12,5	3134
650	1056	220	90%	15,0	3142
650	1056	440	90%	18,0	3144
650	1238	220	90%	17,0	3148
650	1238	440	90%	20,5	3150
650	1420	220	80%	19,0	3154
650	1420	440	80%	23,0	3156
650	1630	220	75%	21,5	3160
650	1630	440	75%	25,5	3162



Outer/Inner dimensions


Width		Depth		Height	
> <	< >	> <	< >	> <	< >
470	373	656	618	110	89
650	556	1056	1018	220	198
		1238	1200	440	415
		1420	1382		
		1630	1592		

Payload 100 kg, uniformly distributed.




Shelf for extended drawers

Width	Depth	Height	Rubber mat	Kg	Part.No
470	435	102	6950	2,6	1960
650	435	102	6951	3,3	1961



Dividers for extended drawers

Width	Height	Kg	Part.No
470	220	0,6	2732
470	440	1,1	2733
650	220	0,9	2734
650	440	1,5	2735



Pegboard for extended sliding drawers

Depth	Thickness	Height	Kg	Part.No
667	0,9	231	1,0	2179
1056	0,9	231	1,7	2183
1238	0,9	231	2,0	2184
1420	0,9	231	2,1	2180
1630	0,9	231	2,5	2181


Use 2 per side on 470 mm high shelf ladders.



Rubber mats for extended drawers

Meassurement	Fits	Kg	Part.No
470 x 656	3100, 3102 & 3104	0,4	6941
470 x 1056	3106, 3108 & 3110	0,8	6942
470 x 1238	3112, 3114 & 3116	0,8	6944
470 x 1420	3120 & 3122	0,9	6945
470 x 1630	3126 & 3128	1,1	6946
650 x 656	3132 & 3134	0,6	6917
650 x 1056	3142 & 3144	0,9	6919
650 x 1238	3148 & 3150	1,0	6920
650 x 1420	3154 & 3156	1,2	6921
650 x 1630	3160 & 3162	1,4	6922





Mounting bracket for step-in

Width	Depth	Height	Kg	Part.No
25	125	114	0,5	2831

Sold in a set of 2 pieces.





Cover plate sliding drawers


Depth	Height	Kg	Part.No
470	30	0,2	2088


Hide the gap that sometimes appears between the top drawer and shelf frame.

Shelves










Depth	Width	Rubber mat	Kg	Part.No
300	302	6600	1,1	1600
300	392	6602	1,3	1602
300	605	6604	1,9	1604
300	694	6606	2,1	1606
300	784	6608	2,3	1608
300	907	6610	3,5	1610
300	997	6612	3,7	1612
300	1086	6614	4,0	1614
300	1176	6616	4,3	1616
300	1210	6618	4,4	1618
300	1299	6620	4,8	1620
300	1389	6622	5,0	1622
300	1512	6624	5,4	1624
300	1568	6626	5,6	1626
300	1960	6632	9,5	1632
400	605	6554	2,9	1504
400	784	6558	3,6	1508
400	907	6560	4,0	1510
400	997	6562	4,4	1512
400	1176	6566	5,1	1516
400	1389	6572	6,0	1522
400	1568	6576	6,8	1526
470	302	6700	1,5	1700
470	392	6702	1,8	1702
470	605	6704	3,4	1704
470	694	6706	3,8	1706
470	784	6708	4,2	1708
470	907	6710	4,8	1710
470	997	6712	5,2	1712
470	1086	6714	5,6	1714
470	1176	6716	6,1	1716
470	1210	6718	6,1	1718
470	1299	6720	6,5	1720
470	1389	6722	6,9	1722
470	1512	6724	7,5	1724
470	1568	6726	8,0	1726
470	1960	6730	13,0	1730
160	784	6800	1,5	1800
160	997	6802	1,9	1802
160	1176	6804	2,2	1804
160	1389	6805	2,6	1805
160	1568	6806	2,9	1806
160	1160-2120	6803	4,3	1810


Height 65 mm. 400 mm deep shelves should be mounted in 300 mm deep shelf frames.

Payload, uniformly distributed load:
Shelf width 300 - 1600 mm 70 kg.
Shelf width 1601 - 1960 mm 50 kg.
Adjustable shelves 30 kg.

Shelf dividers




Depth	Height	Information	Kg	Part.No
-	61	Brackets, per pair	-	2870
300	61		0,2	2871
400	61		0,2	2873
470	61		0,2	2872



Adjustable shelves with flipfront


Depth	Width	Rubber mat	Kg	Part.No
160	1830-3460	6807	9,3	1813
300	1830-3460	6640	13,5	1815



Ball bearing kit for shelves

Depth	Height	⇨	Kg	Part.No
313	74	105%	2,5	2860
483	74	105%	3,8	2862

Mount a shelf in a ball bearing kit to make it extendable. This allows you to have more shelves, with easy access, in your van racking.



Application guide	
Racking width	**Shelf width in ball bearing kit**
392 mm	302 mm
694 mm	605 mm
784 mm	694 mm
997 mm	907 mm
1086 mm	997 mm
1176 mm	1086 mm
1299 mm	1210 mm
1389 mm	1299 mm

Payload 40 kg uniformly distributed load.



Shelf for cable reels

Depth	Width	Height	Kg	Part.No
300	784	114	3,0	1688

One movable divider is included. Payload 30 kg uniformly distributed load.



Flexi shelf frame

Depth	Width	Height	Info.	Kg	Part.No
112	32	1788	2/set	11,8	1380
112	31	1788	1/set	4,9	1382

Flexi shelf support

Depth	Width	Height	Shelf width	Kg	Part.No
275	830	83	784	3,1	1308
275	1043	83	997	3,5	1312
275	1222	83	1176	3,9	1316
275	1435	83	1389	4,4	1322
275	1614	83	1568	4,8	1326

Flexi shelf bracket

Info.	Kg	Part.No
160 mm deep shelves, 2/set	0,6	1340
300, 400 & 470 mm deep shelves, 2/set	1,4	1342

Flexi gas damper

Info.	Kg	Part.No
2/set	0,1	1386


Corner protection for shelves

Info.	Art.Nr
Corner protection	1338

The shelf frames can be cut to fit your configuration. Loading capacity increases to 100 kg per shelf when mounted in a Flexirack. Shelves are adjustable to 4 pre-set angles on installation of 0, 4, 8 & 12 degrees.


Choose your shelves: 300, 400 and/or 470 mm depth. Our dropfront shelves will also fit, 300 and 470 mm depth. A shelf bracket will fit all different shelf depths.

Use the shelf bracket, 1340 & 1342, if you want to combine fixed and foldable shelves.





NEW FOR 2025




Dropfront shelves

Depth	Width	Rubber mat	Kg	Part.No
300	392	4532	1,2	4502
300	605	4534	1,7	4504
300	784	4538	2,1	4508
300	907	4540	2,3	4510
300	997	4542	2,5	4512
300	1176	4546	2,9	4516
470	392	4632	1,7	4602
470	605	4634	2,4	4604
470	784	4638	2,9	4608
470	907	4640	3,4	4610
470	997	4642	3,6	4612
470	1176	4646	4,2	4616

Works in conjunction with our new dropfronts.

Payload 70 kg uniformly distributed load.


NEW FOR 2025



- **Aluminium for reduced weight**
- **Flushfront to prevent snagging**
- **More versatile as can be stacked**

Dropfronts

Depth	Width	Height	Kg	Part.No
25	392	110	0,3	4702
25	392	220	0,6	4703
25	605	110	0,4	4704
25	605	220	0,9	4705
25	784	110	0,5	4708
25	784	220	1,2	4709
25	907	110	0,6	4710
25	907	220	1,4	4711
25	997	110	0,7	4712
25	997	220	1,6	4713
25	1176	110	0,8	4716
25	1176	220	1,9	4717
25	1210	220	1,9	4719
25	1389	220	2,2	4723
25	1568	220	2,5	4727




Dividers for dropfront shelves

Depth	Height	Kg	Part.No
300	110	0,3	1990
300	220	0,5	1992
470	110	0,4	1994
470	220	0,8	1996




Plastic bin for shelves

Depth	Width	Height		
300	145	154	0,4	3050
300	235	154	0,5	3052
470	145	154	0,5	3055
470	235	154	0,5	3057




Transparent lid for plastic bins

Depth	Width	Fits		
300	150	3050	0,2	3060
300	240	3052	0,2	3062
470	150	3055	0,2	3065
470	240	3057	0,4	3067



Dividers for plastic bins

	Width	Height	Fits	
	140	154	3050 & 3055	3070
	230	154	3052 & 3057	3072



Bracket for dropfront shelves

Depth		
300	0,1	3081
470	0,2	3082

No need for a front to your dropfront shelf when your bins are fixed with this bracket.




How many can I fit per shelf?


Shelf width	Std. shelves		Dropfront shelves with dropfront	
	145 mm	235 mm	145 mm	235 mm
302 mm	2			
392 mm	1	1		
605 mm	4		2	1
694 mm	3	1		
784 mm	2	2		3
907 mm	6		4	1
997 mm	5	1	6	
1086 mm	4	2		
1176 mm	3	3	4	2
1210 mm		5		
1299 mm	7	1		
1389 mm	6	2		
1512 mm	10			
1568 mm	4	4		
1960 mm	5	5		




Plastic bin bracket

Depth	Width	Height	To	Kg	Part.No
151	161	90	3050	0,5	3085
151	251	90	3052	0,7	3086










Payload 2,5 kg.











Assortment case

Depth	Width	Height	Kg	Part.No
297	354	82	1,6	6302


The case comes with a mix of inserts. Additional inserts can be purchased separately.

Case inserts

Depth	Width	Height	Part.No
40	77	68	6317
81	77	68	6318
163	77	68	6319

Will also fit pegboard tray 4360 and 4362, page 26.






6300

Assortment case compartment

Depth	Width	Height	⇨	Kg	Part.No
300	392	110	100%	2,5	6300


With the assortment case compartment you can fit a case in a stack of drawers.




Assortment case holder


Depth	Width	Height	Kg	Part.No
300	392	110	1,7	6301

When installing in a drawer unit, at least one shelf frame must be used to obtain sufficient stability and crash safety.



6301






Assortment case bracket

Depth	Kg	Part.No
300	0,5	6305
470	0,7	6306


Our portable assortment case can be mounted directly on the frame with 2 brackets.



Assortment case holder - upright

Depth	Width	Height	Kg	Part.No
86	565	295	1,4	6307

This bracket is mainly designed to fit on to our shelf frames, you can rotate the holder to fit on racking with both 300 and 470 mm depths.



Assortment case/File holder

Depth	Width	Height	Kg	Part.No
304	383	299	4,4	6308

Up to four cases and a binder can be stored in the holder.
Should be placed in a shelf.



Systainer

Information	DxWxH	Kg	Part.No
Systainer3 M 137	296x396x130 mm	1,5	6321
Systainer3 M 187	296x396x180 mm	1,7	6322
Systainer3 M 237	296x396x230 mm	1,9	6323
Foam inserts botten	274x373x25 mm	0,1	6329

Assortment case storage


Information	DxWxH	Kg	Part.No
Top shelf	300x446x65 mm	1,9	1686
Tool case shelf (Systainer)	470x395x50 mm	4,3	1690
Rail (Systainer)		0,4	2305
Rail (Essve)		1,6	2310
Rail (Essve mini)		1,1	2311
Tool case bracket (Raaco)	309x446x110 mm	1,9	6309


Top shelf, 1686, is to be used with rail 2305 for simple storage of Systainer type tool cases.


Tool case shelf, 1690, will fit in a rack 470 mm deep and 392 mm wide. Similar tool cases will also fit, w x d 396 x 296 mm.


Rail 2310 is designed for Essve tool cases and fits in a rack 470 mm deep and 605 mm wide.












3031

Pegboards flanged edge


Depth	Thickness	Height	Kg	Part.No
150	20	1000	1,6	2178
300	20	670	2,1	2148
300	20	890	2,4	2150
300	20	1000	2,7	2152
300	20	1220	3,3	2154
392	20	890	3,0	2155
470	20	890	3,6	2156
470	20	1000	4,0	2158
470	20	1220	4,8	2160
500	20	1500	6,1	2162
700	20	900	5,2	2164
700	20	1250	6,7	2166
700	20	1480	8,3	2168
846	20	890	6,1	2163
Distance tube			-	3031




Sliding pegboard

Depth	Width	Height	⇔	Kg	Part.No
230	1250	700	65%	23,5	T7800
230	1480	700	65%	15,1	T7801
230	1220	470	65%	11,6	T7803

The sliding pegboard is extendable in both directions. Payload 125 kg. Total height is set with the legs and upper brackets to suit the vehicle and your needs.



T7805



T7806



Sliding frame for racking

Depth	Width	Height	⇔	Kg	Part.No
230	1250	700	65%	17,0	T7805

Total height is adjusted with the legs and the top brackets to fit your needs and space. Bracket T7806 is used to stabilise fitted racking, see picture above. The frame is extendable 2 ways. Payload 140 kg.

Kg	Part.No
0,5	T7806



Scan to go straight to our online configurator, DnD

We create mobile workplaces








Sliding platform chassis

Width	Length	⇨	Height	Kg	Part.No
350	950	87%	75	20,9	8570
350	1300	90%	75	28,1	8571
350	1450	91%	75	30,9	8572
350	1650	92%	75	34,5	8573
700	950	87%	75	26,2	8574
700	1300	90%	75	34,8	8575
700	1450	91%	75	37,5	8576
700	1650	92%	75	41,2	8577
1000	1450	91%	75	43,3	8580


300-chassis are extendable to 90 percent of their length.
Payload is 300 kgs evenly distributed.
NOTE! The platform is a chassis only – you design your own application.



Frame

Width	Height	Kg	Part.No
1680	110	6,3	8551

A set contains 3 rails and 2 corner brackets. You cut the rail to appropriate lengths.



Lashing ring rail

Length	Width	Height	Kg	Part.No
1680	42	18	9,4	5906

The rail is designed for use with Airline lashing rings. Comes in a set of 4 rails that you cut to appropriate lengths.
NOTE! You need to make holes in the plate to fix the lashing rings.



Tool compartments

Depth	Width	Height	Kg	Part.No
300	1512	258	16,6	5034
300	1691	258	18,4	5035

Sturdy storage of heavy tools such as spades, crowbars etc.



NEW FOR 2025



Cabinet

Depth	Width	Height	Kg	Part.No
300	392	505	5,5	2786
470	392	505	7,0	2787
300	392	1220	9,3	2790
470	392	1220	10,7	2791

Cabinet sides

Depth	Width	Height	Kg	Part.No
300	—	505	0,8	2772
470	—	505	1,3	2773
300	—	1220	1,9	2776
470	—	1220	3,1	2777

Clothes rail/Coat hanger

Width	Kg	Part.No
392	0,2	2795

The cabinet contains a door, a back, top and bottom shelves, to be mounted between 2 shelf frames (see page 4). The cabinet sides are plain metal sheets that are sold per piece, you can also use our plain sheet pegboards (see page 5). Our 392 mm wide dropfront shelves can be used in the cabinet (see page 13).









File box

Depth	Width	Height	Kg	Part.No
373	197	385	6,7	2920




Gas bottle cabinet

Depth	Width	Height	Kg	Part.No
470	392	605	18,5	2918

Our gas bottle cabinet with sealed door, includes brackets for either 1 or 2 bottles, a removable shelf and vent pipe. The door can be hinged on the left or the right side.


Vice



Depth	Width	Height		Kg	Part.No
360	135	140	Standard vice	8,5	TL00001
360	135	140	Pro vice	10,3	5004

The Pro vice (part no. 5004) is complete with pipe jaw and turning plate. Max opening 140 mm.

Vice Holders



Depth	Width	Height	⇨	Kg	Part.No
1110	170	195	600	9,4	5012
1110	170	80	600	8,9	5013

Plate measurement 170x158 mm. Cover 2950 is included (see below).


Extendable Vice Holder/Bench



Depth	Width	Height	⇨	Kg	Part.No
300	1003	73	700	5,5	2730
470	1003	73	700	6,2	2731


Can be turned for mounting on both right and left sides. The panel is made of fibreglass reinforced polypropylene. Fits between shelf frames from 784 mm and up.


Foldable Vice Holder/Bench




Description	Depth	Height	Kg	Part.No
Holder	-	-	4,2	2728
Shelf frame bracket	25	223	0,8	2725
Shelf frame bracket	25	223	1,2	2726


Panel of fibreglass reinforced polypropylene.





Accessories for Vice Holders






Description	Kg	Part.No
Cover, included in 5012 & 5013	1,1	2950
Adjustable support, 520 - 800 mm	1,9	2954

Adjustable support (2954) fits all of our vice holders.






Gas bottle holder adjustable

Depth	Width	Height	Tube ∅	Kg	Part.No
150	300	97	< 300	0,9	2910

Liquefied petroleum gas P6 (bottles with 320 mm Ø can be stored after modification).



Gas bottle holder single

Depth	Width	Height	Tube ∅	Kg	Part.No
70	300	200	< 300	0,8	2912


Liquefied petroleum gas P6, could also be used for storing refrigerant bottles.



Gas bottle holder double

Depth	Width	Height	Tube ∅	Kg	Part.No
95	300	200	145	1,3	2913


5 kg Acetylene & Oxygen tubes.



Gas bottle holder shelf

Depth	Width	Height	Kg	Part.No
300	306	500	6,3	2914


Liquefied petroleum gas P11 or 5 kg Acetylene & Oxygen.
Bracket for two bottles is included.



Gas bottle holder wallmounted


Depth	Width	Height	Tube ∅	Kg	Part.No
300	450	820	205	5,8	2916

Acetylene & Oxygen (AGA A21 & O20 or equivalent).



Pegboard tray (mini)


Depth	Width	Height	Kg	Part.No
62	100	64	0,1	4361



Pegboard tray (small)


Depth	Width	Height	Kg	Part.No
82	200	80	0,5	4360

Our assortment case inserts, page 16, fit in this tray.



Storage box/bin


Depth	Width	Height	Kg	Part.No
153	179	575	3,0	4370



Pegboard tray (medium)

Depth	Width	Height	Kg	Part.No
82	285	102	0,8	4362

Our assortment case inserts, page 16, fits in this tray.



Pegboard tray (large)

Depth	Width	Height	Kg	Part.No
122	455	122	1,5	4364



Business card holder

Depth	Width	Height	Part.No
21/31	65	79	4359



Brochure/file holder


Depth	Width	Height	Kg	Part.No
34/69	231	210	0,6	4368

NEW




Heavy duty tool holder

Depth	Width	Height	Kg	Part.No
59	68	222	0,6	4342



NEW




Tool clamp

Depth	Width	Height	Kg	Part.No
30	165	58	0,2	4341



Hose/Cable rack

Depth	Width	Height	Kg	Part.No
79	267	168	0,5	4077



Cable reel holder


Depth	Width	Height	Kg	Part.No
135	110	85	0,3	4080




Grab handle

Depth	Width	Height	Kg	Part.No
77	30	275	0,2	4390

The handle is mounted on a shelf frame or directly in your vehicle's chassis.





Locking bars

Description	Height	Kg	Part.No
Locking bar for drawers	160	0,6	4392
Locking bar for sliding shelves	440	1,1	4393

Locking bars can be mounted to a shelf frame, stopping the drawer from opening.


UPDATED FOR 2025


- Spring-loaded for easy access
- Easy assembly with fewer components
- Lower profile to save space
- Reduced noise during transit

Internal ladder holder - UPDATED

Length	Kg	Part.No
2000	5,5	T9000

Our internal ladder holder allows you to store your ladder on the inside of the ceiling easily and pull it back to the rear door.





Scan for more information and to see our ladder holder in action

Payload 15 kg.



Universal hook mini

Depth	Width	Height	Part.No
50	50	88	4355


Sold in a set of 2 pieces.



Universal hook

Depth	Width	Height	Part.No
85	80	100	4356

Sold separately.



Universal hook double

Depth	Width	Height	Part.No
61	83	55	4357

Sold separately.



Angled hook

Depth	Width	Height	Part.No
111	40	48	4340

Sold separately.



Clothes hook 300

Depth	Width	Height	Part.No
31	295	40	2706

Sold separately.



Clothes hook 470

Depth	Width	Height	Part.No
31	465	40	2708

Sold separately.



Power tool holder

Depth	Width	Height	Part.No
72	80	140	4380

Sold separately.



Battery holder

Depth	Width	Height	Part.No
63	91	103	4381

Sold separately.



Tool holder

Depth	Width	Height	Part.No
81	285	150	4375

Sold separately.



Tube holder

Depth	Width	Height	Part.No
90	286	150	4348

Sold separately.



Tube holder

Depth	Width	Height	Part.No
66	194	123	4349

Sold separately.



Spray can holder

Depth	Width	Height	Part.No
72	75	125	4351

Sold separately.



Can holder mini

Depth	Width	Height	Part.No
65	75	88	4352


Sold separately.



Can holder, plastic

Depth	Width	Height	Part.No
77	76	190	4358


Sold separately.



Clamping rack

Depth	Width	Height	Part.No
37	440	29	4354

Sold separately.



Tool holder kit

Parts	Part.No
10 + expander locks	F11004


Pegboard not included.



Expander lock for pegboards

	Part.No
	5686


Sold separately.



Ring hook

Ø	Part.No
60	4314
80	4315

Sold in a set of 5 pieces.



Rubber clip

Ø	Part.No
25	4325
38	4326


Sold in a set of 5 pieces.




Document clip

Width	Part.No
60	4330

Sold in a set of 5 pieces.






Strap with brackets

Information	Width	Part.No
1200 mm, nylon strap	25	4365
1000 mm, elastic strap	25	4366


Brackets fit on our pegboards.







5902



5903

Lashing ring

Depth	Width	Height	Ø	Part.No
36	58	30	20	5902
46	32	30	20	5903


To be mounted on a shelf frame, designed to hold lighter loads in place.
Sold in a set of 2 pieces.



Case support

Depth	Length	Height	Kg	Part.No
220	1568	195	2,0	2935
-	-	-	0,6	2936

Adjustable bracket ideal for fixing between shelf frames to secure tool cases, for example. Comes in 1568 mm length, can be cut to fit your configuration. Add an extra bracket (2936) for maximum flexibility, one is included.





Nylon strap

Length	Width	Part.No
4000	30	5107

2-part with tensioner.



Nylon strap

Length	Width	Part.No
2520	25	5117

2-part with hooks.



Nylon strap

Length	Width	Part.No
2500	25	5118

Load securing kit



F11005

Information	Part.No
Strap kit with holder	F11005
Strap kit	5170



5170

First aid



F11007

Information	Part.No
First aid kit with holder	F11007
First aid kit with bracket	HY00006
Eye wash station	TL00057



HY00006



TL00057



5098



5099

Lashing ring

	Part.No
	5098
	5099



5124



Rubber strap

Length		Part.No
-		5121
285		5122
By the meter	Whole package 10 m.	5124
285		5125



Fire extinguisher

Information	Part.No
1 kg, powder	TL00007
2 kg, powder	TL00008
2 kg, P50 powder	TL00549

Wall bracket is included.



Foldable holder for garbage bag


Depth	Width	Height	Part.No
300	278	87	4385




Water can

Information	Part.No
Bracket	2976
Water can 10 litres	2977

Bracket and can sold separately.




5951 & 5953




5962, 5964 & 5968



5970




2845



2846



5904



2814



5905



5910



5911

Airline rails

Length	Kg	Part.No
295	0,2	5951
465	0,2	5953
1000	0,8	5962
1500	1,2	5964
3000 > 6 pcs	2,5	5968
End piece for 5962, 5964 & 5968	-	5970

Airline angle brackets


Information	Kg	Part.No
Mounting kit	0,2	2845
Angle bracket 53x58x112 mm	0,2	2846
Angle bracket 53x58x154 mm	0,3	2847
Angle bracket 53x58x209 mm	0,3	2848

Airline brackets


Information	Kg	Part.No
Support plinth bracket 175x66x15/32 mm	0,3	2814
Bracket for shelf frame	-	5904
Bracket for plywood	-	5905
T-nut 2xM6	-	5910
T-nut 3xM6	-	5911
Mounting bolt M8x25	-	5913
Clamp fitting	0,3	5915



5913



5915



Airline load securing

Information	Length	Kg	Part.No
Strap kit	500/2500 x2	0,7	5172
Lashing ring, round aluminium		-	5900
Lashing ring, straight black plastic		-	5901
Strap	200/ 700	0,1	5931
Strap	200/1200	0,1	5933
Strap	200/2200	0,2	5935
Strap with tensioner	500/2500	0,3	5940
Adjustable beam	1100-1660	2,6	5993
Adjustable beam	1600-2160	3,5	5996
Strap kit with holder	500/2500 x2	1,2	F11006



5931 - 5935



5900



5901



5940




5172



5993 & 5996



F11006



Work bench



All work benches are made of 18mm high-grade birch ply with smooth grey top.

Depth	Width	Thickness	Kg	Part.No
315	685	18	2.7	WTOP30685
315	775	18	3	WTOP30775
315	865	18	3.5	WTOP30865
315	985	18	3.8	WTOP30985
315	1075	18	4.3	WTOP31075
315	1165	18	4.6	WTOP31165
315	1255	18	4.9	WTOP31255
315	1290	18	5	WTOP31290
315	1470	18	5.7	WTOP31470
315	1650	18	6.3	WTOP31650
500	685	18	4.2	WTOP50685
500	775	18	4.8	WTOP50775
500	865	18	5	WTOP50865
500	985	18	5.8	WTOP50985
500	1075	18	6	WTOP51075
500	1165	18	6.8	WTOP51165
500	1255	18	7.4	WTOP51255
500	1290	18	7.6	WTOP51290
500	1470	18	8.4	WTOP51470
500	1650	18	9	WTOP51650




Paper dispenser



5084



5083



4070



4387

Information	Part.No
Dispenser DxWxH 205x319x141 mm	4070
Wet wipe dispenser holder	4387
Magnetic bracket to 5084	5083
Dispenser with paper	5084
Paper to 5084	5086

Magnetic brackets allow you to bring the holder with you.

Rubber mats



5204


Depth	Width	Kg	Part.No
1400	*	5,6	5204
156	*	0,2	6599
298	*	0,4	6699
404	*	0,5	6399
468	*	0,8	6799


* = Sold by running metre. (Full roll is 10 metres)

Edström colours




Information	Part.No
Dark grey, spray can	9007
Light grey, spray can	9014
Edström green, spray can	9015





Angle brackets


Width	Measurement	Part.No
53	58 x 58	2801
53	58 x 112	2803
53	58 x 154	2805
53	58 x 209	2807
53	58 x 264	2808
53	80:87:80	2809
53	58:64:58	2811



Mounting brackets

Length	Measurement	Kg	Part.No
200	26 x 54	0,3	2081
295	50 x 30	0,3	2810
460	50 x 30	0,5	2812
2000	50 x 30 (5 pcs)	12,3	2816
1568	50 x 30	2,0	2817
1220		0,9	7388

2081 is designed for use with our shelf frames. For example, you can join two frames on top of each other.
7388 is a pole with the same profile as our shelf frames.



L-type support rail

Length	Measurement	Kg	Part.No
605	55 x 30	0,6	2818
694	55 x 30	0,7	2819
784	55 x 30	0,8	2820
907	55 x 30	0,9	2822
997	55 x 30	1,0	2824
1086	55 x 30	1,1	2825
1176	55 x 30	1,2	2826
1210	55 x 30	1,2	2827
1389	55 x 30	1,4	2828
1568	55 x 30	1,6	2829

NEW FOR 2025



Airline L-type support rails

Length	Measurement	Kg	Part.No
605	55 x 25	0,7	2878
784	55 x 25	0,8	2880
907	55 x 25	0,9	2882
997	55 x 25	1,0	2884
1176	55 x 25	1,2	2886



Brackets

Depth	Height	Kg	Part.No
160		0,3	1840
300		0,5	1842
	260-410 mm	0,9	1844
	235-410 mm	0,6	2830



M6



M8



5600




5633



5620



5640



5642



7172

Nuts & Bolts

Ø	Length		Pack	Part.No
M6	10		1000	5600
M6	12		1000	5611
M6	16		500	5612
M6	20		500	5614
M6	25		500	5616
M6	30		500	5618
M6	35		500	5620
M6	50		100	5624
M6	25			5633
M6	Nut		1000	5640
M6	Washer	Ø 22	200	5642
M6	Tee nut			7172
M8	16			7113
M8	20			7114
M8	30			7115
M8	40			7117
M8	50			7118
M8	60			7119
M8	Nut			7122
M8	Washer	Ø 28		7123
M8	Tee nut			7173




5662



5672

Blind Rivet

Ø	Length		Pack	Part.No
4,8	10	Steel		5670
4,8	10	Alu	500	5672
4,8	14	Steel		5650
4,8	21	Steel		5652
4,8	30	Steel		5654
6,4	15	Steel	1500	5660
6,4	18	Steel	1500	5661
6,4	22	Steel	1000	5662
6,4	30	Steel	1000	5664
6,4	35	Steel	500	5665
6,4	40	Alu/Steel	1000	5666



Installation kits

Information	Parts	Part.No
Mixed parts, size 1	146	5501
Mixed parts, size 2	238	5502
For Flexi system	22	5509
For vice and vice holder	93	5508
False floor installation kit	57	5510



Insert nut

Information	Pack	Part.No
Insert nut M6x9 mm	1000	7180
Tool for insert nut		7182

Index

Accessories for Vice Holders 24
Adjustable shelves with flipfront 11
Airline system 32
Airline load securing 33
Airline L-type support rails 36
Angle brackets 36
Angled hook 28
Assortment case 16
Assortment case brackets/holders 17
Assortment case storage 18
Ball bearing kit for shelves 11
Battery holder 28
Blind Rivet 37
Bracket for dropfront shelves 14
Brackets 36
Business card holder 26
Cabinet 23
Cable rack 27
Can holder 29
Case inserts 16
Case support 30
Clamping rack 29
Clothes hook 28
Clothes rail/Coat hanger 23
Corner protection for shelves 12
Cover plate sliding drawers 9
Dividers for dropfront shelves 13
Dividers for extended drawers 9
Dividers for plastic bins 14
Document clip 29
Drawer foam inserts 7
Drawer inserts 7
Drawers 6
Dropfronts 13
Dropfront shelves 13
Edström colours 35
Expander lock for pegboards 29
Extendable Vice Holder/Bench 24
Extended drawers 8
File box 23
File holder 26
Fire extinguisher 31
First aid 31
Flexi gas system 12
Foldable holder for garbage bag 31
Foldable Vice Holder/Bench 24
Frame 22
Gas bottle cabinet 23
Gas bottle holders 25
Grab handle 27
Hose/Cable rack 27
Insert nut 37
Installation kits 37
Internal ladder holder 27
Lashing ring 30
Lashing ring 31
Lashing ring rail 22
Load securing kit 31
Locking bars 27
L-type support rail 36
Mounting bracket for step-in 9
Mounting brackets 36
Nuts & Bolts 37
Nylon strap 30
Paper dispenser 35
Pegboard for extended sliding drawers 9
Pegboards flanged edge 19
Pegboards for shelf frame extensions 5
Pegboards plain sheet 5
Pegboard tray 26
Plastic bin bracket 15
Plastic bin for shelves 14
Power tool holder 28
Ring hook 29
Rubber clip 29
Rubber mats 35
Rubber mats for extended drawers 9
Rubber strap 31
Shelf dividers 10
Shelf for cable reels 11
Shelf for extended drawers 9
Shelf frames 4
Shelves 10
Sliding frame for racking 19
Sliding pegboard 19
Sliding platform chassis 22
Spray can holder 28
Strap with brackets 30
Support plinths 7
Systainer 18
Tool clamp 26
Tool compartments 22
Tool holder 28
Tool holder kit 29
Top plates 7
Transparent lid for plastic bins 14
Tube holder 28
Universal hook 28
Vice 24
Vice Holders 24
Water can 31
Work bench 34

2025-03

INFORMATION

GENERAL INFO

All kits include what you see in the drawing, as well as installation parts, rubber mats for all shelves and foam for drawers.

System Edström Bilinredningar AB is certified SS-EN ISO 9001:2015, ensuring our commitment to managerial quality and high accuracy in our deliveries.

All materials used by System Edström are 100% recyclable. We are also certified to SS-EN ISO 14001:2015.

REMEMBER

By choosing System Edström for your vehicle, you have taken the first and most important step to making your mobile workshop safe and functional. From here on, it is up to you how safe and functional your working place will be.

As the driver, you have full responsibility if you or anyone else is injured owing to poorly secured cargo. You are also responsible for ensuring that the racking is mounted in the safest way possible, whatever your choice of workshop, even when using professional, knowledgeable and experienced installers.


DO NOT exceed the maximum payload of the vehicle.

SECURITY

We crash test our racking continuously at VTI, the Swedish National Road and Transport Research Institute. The crash tests are carried out according to the standard INRS NS 286 which applies to van racking.

Other types of tests are also carried out at test institutes, for example shake tests that simulate several years of use on the road. We also carry out our own tensile and pressure tests, to check, for example, the strength of load securing products.

Find out more about our company and products at www.systemedstrom.com.



Become a **System Edström Dealer Partner**



System Edström works with approved Dealer Partners across the UK and we're always on the look-out for more quality van conversion specialists to join our family.


Becoming an approved Dealer Partner offers significant benefits:

- **ENHANCE YOUR REPUTATION** – Align your company with a brand known for quality, reliability, and fast service.
- **CONFIDENCE –** You can offer our products safe in the confidence of our quality and reliability.
- **EXCLUSIVE TRAINING –** Access specialised training programmes to stay ahead in van racking and storage system installation
- **SUPPLY CHAIN ADVANTAGES –** Benefit from faster delivery times and fewer supply chain issues.

For more information, speak to our **UK Sales Manager – Wholesale, Chris Angel**. You can contact Chris on **01536 203040**, or email **info@edstrom.co.uk**










Scan for more information

SAFETY

SWE
QUALITY

5
UP TO 5 YEARS WARRANTY

SYSTEM EDSTRÖM

SYSTEM EDSTRÖM UK LTD
7 Cronin Road
Weldon South Industrial Estate
Corby
NN18 8AQ

CONTACT
Tel: 01536 203040
Sales: 01536 333701
Customer service: 01536 333700
Email: info@edstrom.co.uk
support@edstrom.co.uk

2025-03